

# Briton

## لیست قیمت محصولات تحت شبکه برایتون

مهر ماه ۱۴۰۳



# IP Camera

[www.datisint.com](http://www.datisint.com)

021 - 74 856



Scan Me!

## 8 MP

### Bullet Fixed

IPC-6A813B2A-T

CALL

IPC-6A412B47-TMP

CALL

### Dome Fixed

IPC-6A813D90-TM

CALL

### Bullet Motorized

IPC-6A812C37-TLZ

CALL

### Dome Motorized

IPC-6A812E90-TLZ

CALL

### Speed dome

IPD-6108Q04-TPZ

CALL

## 6 MP

### Fisheye

IPC-4A612F17-TMSP

CALL



# 5MP

## Bullet Fixed

IPC-414557B1A-TML

CALL

IPC-414557B1A-TMU

CALL

## Dome Fixed

IPC-414557D89C-TML

CALL

## Bullet Motorized

IPC-414557C2C-TAMLZ

CALL

IPC-6N513C2C-TP(M)LZ

CALL

## Dome Motorized

IPC-414557E89C-TAMLZ

CALL

IPC-6N513E89-TP(M)LZ

CALL

## Speed dome

IPD-69513Q81-FP

CALL

# 2MP

## Speed dome

IPD-6N25AQ61P-FP

CALL

# NVR

NVR-6CB16P-N53

CALL

NVR-6B32EP-W27-4H

CALL

NVR-6B32P-W26-8H

CALL


NVR-6B64P-W26-8H

CALL



**8MP**

**1. IPC-6A813B2A-T**



8MP Network Camera 1/2.8" Sony CMOS Starlight  
**2.8 mm** Fixed Lens @F2.0  
 H.264+(Ultra H.264), H.265+ (Ultra H.265)  
 30fps@ 8MP(3840\*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP  
 Dual-Core ARM Cortex-A17@1.25 GHz + A7@800 MHz  
**Alarm I/O:1/1**,DC12V,Built-in POE  
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)  
 IP67, IK10, 6KV Surge Protection



**2. IPC-6A412B47-TMP**



**Dual 4MP Network Camera** 1/1.8" Progressive scan CMOS Sensor ,Full color  
**4.0 mm** Fixed Lens @F1.0  
 H.264+(Ultra H.264), H.265+ (Ultra H.265)  
**20 fps@ 8MP(5120\*1440)**  
 Dual-Core ARM Cortex-A17@900 GHz  
**Red & blue light warning ,Sound warning**  
 Dual internal Mic , internal Speaker , 140db WDR  
**Alarm I/O:1/1**,Audio I/O:1/1 , DC12V,Built-in POE  
 Triple Stream (Video Bit Rate:11 Kbps~6 Mbps)  
 IP67, IK10, 6KV Surge Protection



**3. IPC-6A813D90-TM**



8MP Network Camera 1/2.8" Sony CMOS Starlight  
**2.8 mm** Fixed Lens @F1.6  
 Dual-Core ARM Cortex-A17@1.25 GHz + A7@800 MHz  
**30 fps@ 8MP(3840\*2160)**, 30fps@ 6MP, 30fps@ 4MP, 60fps@ 2MP  
 H.264+(Ultra H.264), H.265+ (Ultra H.265)  
**Alarm I/O:1/1**,DC12V,Built-in POE  
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)  
 IP67, IK10, 6KV Surge Protection



**4. IPC-6A812C37-TLZ**



8MP Network Camera 1/2.8" Sony CMOS Starlight  
 Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1, Mobile Surveillance  
 2.7~13.5 mm @F1.6 Motorized Fast Auto Focus Lens  
**IR range 70-80mm**  
 H.264+(Ultra H.264), H.265+ (Ultra H.265)  
 30fps@ 8MP(3840\*2160), 30fps@ 6MP, 30fps@ 4MP, 90fps@ 2MP  
 Dual-Core ARM Cortex-A7@900 MHz  
**Alarm I/O:1/1**,DC12V,Built-in POE  
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)  
 IP67, IK10, 6KV Surge Protection  
 Size: 74.5x219mm Gross Weight: 900g



**5. IPC-6A812E90-TLZ**



8MP Network Camera 1/2.8" Sony CMOS Starlight  
 Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1, Mobile Surveillance  
 2.7~13.5 mm @F1.6 Motorized Fast Auto Focus Lens  
**IR range 50-60mm**  
 H.264+(Ultra H.264), H.265+ (Ultra H.265)  
 30fps@ 8MP(3840\*2160), 30fps@ 6MP, 30fps@ 4MP, 60fps@ 2MP  
 Dual-Core ARM Cortex-A7@900 MHz  
**Alarm I/O:1/1**,DC12V,Built-in POE  
 Triple Stream (Video Bit Rate:11 Kbps~16 Mbps)  
 IP67, IK10, 6KV Surge Protection  
 Size: Φ142x113.4 mm Gross Weight: 935g



## 6. IPD-6108Q04-TPZ



H.265+ **8 MP** (Sony) Progressive scan Cmos Sensor (1/1.8"), Su per Starlight  
**38X** Optical Lens (6~228mm)  
 2D/3D DNR, **WDR 120dB**  
 H.264+(Ultra H.264), H.265+(Ultra H.265)  
 Triple Stream: **30fps@8MP(3840\*2160)**, 30fps@6MP,, 30fps@2MP  
 Dual-Core ARM Cortex A7 @900MHz  
 Smart Motion Detection (Human & Vehicle)  
 250~260 m Smart IR SMD  
 Triple Stream (Code Rate: 32kb-16mb)  
 Support POE, **SD Slot up to 256GB, Audio: 1/1, Alarm: 1/1**  
 IP67, 6KV Surge Protection



**6MP**

## 7. IPC-4A612F17-TMSP



6MP Network Camera 1/1.2.5" Progressive scan CMOS Sensor  
**1.68 mm** Fixed Lens @F2.0  
 H.264+(Ultra H.264), H.265+(Ultra H.265)  
 Fisheye 6MP (2560\*2560 @30Fps)  
 4CH@ePTZ (640\*480 @30Fps)  
 Fisheye+ Panoramic+3CH@ePTZ (2560\*2560+1920\*1080+640\*480 @30Fps)  
 Fisheye + 4CH @ ePTZ (2560\*2560+640\*480@30 Fps)  
 Panoramic +4CH @ ePTZ (2560\*2560+640\*480@30 Fps)  
 Panoramic (2560\*2560 @30Fps)  
**Built in Mic, internal Speaker**, 120 db WDR  
**Alarm I/O:1/1**, Audio I/O:1/1, DC12V, Built-in POE  
 6 Streams Transmission  
 IP67, IK10, 6KV Surge Protection



5MP

### 8. IPC-414557B1A-TML




H.265+5MP Network Camera 1/2.7" CMOS Starlight  
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance  
5 Smart Functions + Face Detection  
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P  
Onvif, Profile S, CGI  
2pcs Array LED/ IR range 30m,Strobe light  
Fixed focal Lens , 2.8mm @ F1.6  
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , Built in Mic  
IP67 , Metal Housing Size: 68x172.3mm

Gross Weight: 500g



### 9. IPC-414557B1A-TMU



H.265+5MP Network Camera 1/2.7" CMOS Starlight  
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance  
5 Smart Functions + Face Detection  
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P  
Onvif, Profile S, CGI  
**Dual light** :2pcs Array LED\*2pcs Warm light/ IR range 30m  
Fixed focal Lens , 3.6mm  
SD Card Support 128GB,Reset Button ,DC12V,Built-in POE , Built in Mic  
IP67 , Metal Housing Size: 68x172.3mm

Gross Weight: 490g



### 10. IPC-414557D89C-TML



H.265+5MP Network Camera 1/2.7" CMOS Starlight  
Smart IR,120db WDR,2D/3D DNR ; Mobile Surveillance  
5 Smart Functions + Face Detection  
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P  
Onvif, Profile S, CGI  
3pcs Array LED/ IR range 30m,**Strobe light**  
Fixed focal Lens , 2.8mm @ F1.6  
**SD Card Support 128GB**,Reset Button ,DC12V,Built-in POE , **Built in Mic**  
IP67 , Metal Housing Size: Φ112x87.5mm

Gross Weight: 510g



### 11. IPC-414557C2C-TAMLZ



H.265+5MP Network Camera 1/2.7" CMOS  
Smart IR,120db WDR,2D/3D DNR ; **Audio I/O:1/1** ,Mobile Surveillance  
5 Smart Functions +**Face detection**  
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P  
Onvif, Profile S, CGI  
4pcs Array LED/ **IR range 50m,Strobe light**  
**M**otorized Lens , **2.7-13.5mm**  
**SD Card Support 128GB**,Reset Button ,DC12V,Built-in POE , **Built in Mic**  
IP67 , Metal Housing Size: 86x215.3mm

Gross Weight: 875g



### 12. IPC-6N513C2C-TP(M)LZ



H.265+5MP Network Camera 1/2.8" CMOS Starlight  
Smart IR,120db WDR,2D/3D DNR ; Audio I/O:1/1 , Mobile Surveillance  
16 Smart Functions include **Face Detection + People counting**  
Triple Stream: 30fps@5MP, 25fps@720P,25/30fps@CIF  
Onvif, Profile S, CGI  
4pcs Array LED/ **IR range 70m,Strobe light**  
**M**otorized Lens , **2.7-13.5mm**  
**SD Card Support 128GB, Alarm I/O:1/1**,DC12V,Built-in POE , **Built in Mic (M) Series**  
IP67 , Metal Housing , Reset Button Size: 74.5x219mm

Gross Weight: 900g




### 13. IPC-414557E89C-TAMLZ




H.265+5MP Network Camera 1/2.7" CMOS  
Smart IR,120db WDR,2D/3D DNR ; **Audio I/O:1/1** ,Mobile Surveillance  
5 Smart Functions +**Face detection**  
Triple Stream: 25fps@5MP, 25fps@4MP,25fps@1080P  
Onvif, Profile S, CGI  
4pcs Array LED/ **IR range 50m,Strobe light**  
**M**otorized Lens , **2.7-13.5mm**  
**SD Card Support 128GB**,Reset Button ,DC12V,Built-in POE , **Built in Mic**  
IP67 , Metal Housing Size: Φ142x113.4 mm

Gross Weight: 935g





## 14. IPC-6N513E89C-TP(M)LZ



H.265+ 5MP Network Camera 1/2.8" CMOS Starlight  
Smart IR, 120db WDR, 2D/3D DNR, Mobile Surveillance  
16 Smart Functions include **Face detection + People Counting**  
Triple Stream: 25/30fps@5MP, 25/30fps@1080P, 25/30fps@720P, 25/30fps@CIF  
Onvif2.6, Profile S, CGI  
4pcs Array LED/ **IR range 50m, Strobe light**  
**Motorized Lens, 2.7-13.5mm, F1.6**  
**SD Card Support 128GB, Alarm I/O: 1/1, DC12V, Built-in POE, Built in Mic (M) Series**  
IP67, Metal Housing, JK10, DC12V, Built-in POE Size: 142x113.4mm Gross Weight: 980g

## 15. IPD-69513Q81-FP



H.265+ 5MP (Sony) Progressive scan Cmos Sensor (1/2.8"), **Starlight**  
8" **32X** High Speed Dome, Optical Lens (4.8~154 mm), 2D/3D DNR, **WDR 120dB**  
Triple Stream: 20fps@5MP, 25/30fps@720P, 25/30fps@CIF  
Smart Motion Detection (Human & Vehicle)  
Perimeter Protection : line crossing, intrusion (Human & Vehicle)  
Basic Analysis, Onvif, Profile S, CGI, Mobile Surveillance  
Support POE, **SD Slot up to 256GB, Audio: 1/1, Alarm: 1/1**  
**Up to 250M Smart IR SMD Technology**  
IP66, 6KV Lightning Protection

**2MP**

## 16. IPD-6N25AQ61P-FP



H.265+ 2MP (Sony) Progressive scan Cmos Sensor (1/2.8"), **Starlight**  
**25X Optical Lens (4.7~118 mm)**, 2D/3D DNR, **WDR 120dB**  
Triple Stream: 25/30fps@2M, 25/30fps@D1, 25/30fps@CIF  
Basic Analysis, Onvif, Profile S, CGI,  
Mobile Surveillance, Support POE,  
**SD Slot up to 128GB**  
**Audio: 1/1, Alarm: 1/1**  
**Up to 100M Smart IR SMD Technology**  
IP66, 6KV Lightning Protection




## NVR

### 1. NVR-6CB16P-N53




16CH H.265+ 4K NVR **Bandwidth I/O:160M/256M**  
16CH IP Video input, up to 12MP 16ch 1080P Playback  
cloud storage/ cloud upgrade/smart playback  
15 Smart functions + Face detection + Parking detection+ People counting  
SMD , Audio I/O:1/ 1; **Alarm I/O:8 /1**  
HDMI, VGA, **SATA\*2(10T HDD)**, 3G/4G, WIFI  
Remote Control , USB Mouse, DC12V/5A Adapter  
Dimension:380 x 305 x 45mm



### 2. NVR-6B32EP-W27-4H




32CH H.265+ 4K NVR **Bandwidth I/O :256M/256M**  
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras  
32ch 8MP Record/4ch 8MP Playback  
cloud storage/ cloud upgrade/smart playback  
15 Smart functions + Face detection + Parking detection+ People counting  
32ch 1080P Record/16ch 1080P Playback  
Audio I/O:1 / 2; **Alarm I/O:16 /4**  
1\*RS485 1\*HDMI, VGA,**SATA\*4(10T HDD)**, 3G/4G, WIFI  
Remote Control , USB Mouse, AC100~240V  
Dimension:440(W)×452(D)×90(H)mm



### 3. NVR-6B32P-W26-8H



32CH H.265+ 4K NVR **Bandwidth I/O:256M/256M**  
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras  
32ch 8MP Record/4ch 8MP Playback /32ch 8MP Recording/16ch 1080P Playback  
cloud storage/ cloud upgrade/smart playback  
15 Smart functions + Face detection + Parking detection+ People counting  
Audio I/O:1 /2; Alarm I/O:16 /4  
2\*RS485 2\*HDMI, VGA,**SATA\*8(10T HDD)**, eSATA\*1, 3G/4G, WIFI  
Remote Control , USB Mouse, AC100~240V  
Dimension:440(W)×452(D)×90(H)mm



### 4. NVR-6B64P-W26-8H



64CH H.265+ 4K NVR **Bandwidth I/O:320M/256M**  
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras  
64ch 8MP Record/4ch 8MP Playback  
64ch 8MP Recording/16ch 1080P Playback  
cloud storage/ cloud upgrade/smart playback  
15 Smart functions + **Face detection**  
+ Parking detection+ People counting  
Audio I/O:1 /2; **Alarm I/O:16 /4; 2\*RS485**  
**2\*HDMI, VGA, SATA\*8(10T HDD), eSATA\*1**, 3G/4G, WIFI  
Remote Control , USB Mouse, AC100~240V  
Dimension:440(W)×452(D)×90(H)mm

