

الکترونیک  
صنعت امن

SANAT AMN ELECTRONIC

**@lhua**  
TECHNOLOGY

**H D C V I**

PRODUCT PRICE LIST

با خرید محصولات صنعت امن  
از باشگاه مشتریان صنعت امن  
هدیه دریافت نمایید



















## HDCVI CAMERA

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-B1A21P</b>	2MP HDCVI Fixed-focal Bullet Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 20 m illumination distance. > 3.6 mm fixed lens (2.8 mm, 6 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۱,۶۱۵,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-B1A21P-U</b>	2MP IR HDCVI Fixed-focal Bullet Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 30 m illumination distance. > 3.6 mm fixed lens (2.8 mm, 6 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۱,۵۷۵,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-B2A21P</b>	2MP HDCVI IR Bullet Camera > Max. 30 fps@1080p > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Max. IR length 20 m, Smart IR > IP67,12 VDC	۱,۹۴۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-B2A21P-U</b>	2MP IR HDCVI Fixed-focal Bullet Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 30 m illumination distance. > 3.6 mm fixed lens (2.8 mm, 6 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۱,۸۹۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HFW1200TP</b>	2MP HDCVI IR Bullet Camera > Max 30fps@1080P > HD and SD output switchable > 3.6mm fixed lens (2.8mm, 6mm optional) > Max. IR length 30m, Smart IR > IP67, DC12V	۲,۳۰۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HFW1209CP-LED</b>	2MP Full-color Starlight HDCVI Bullet Camera > Full-color starlight > 20 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۲,۱۵۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HFW1209CP-A-LED</b>	2MP Full-color Starlight HDCVI Bullet Camera > Full-color starlight > 20 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Built-in mic (-A) > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۲,۵۲۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HFW1209TLMP-LED</b>	2MP Full-color HDCVI Bullet Camera > 24/7 color imaging > 40 m illumination distance > Max. 30fps@1080P > CVI/CVBS/AHD/TVI switchable > Fixed lens (3.6 mm; 6 mm optional) > IP67, 12V±30% DC	۳,۰۰۰,۰۰۰ + ۱۰٪ ارزش افزوده











## HDCVI CAMERA

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-HFW1209TLMF-A-LED</b>	<p>2MP Full-color HDCVI Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; 24/7 color imaging</li> <li>&gt; 40 m illumination distance</li> <li>&gt; Max. 30fps@1080P</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Fixed lens (3.6 mm; 6 mm optional)</li> <li>&gt; Built-in mic</li> <li>&gt; IP67, 12V±30% DC</li> </ul>	<p>۳,۱۷۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1200CMP-IL-A</b>	<p>2MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p.</li> <li>&gt; 3D NR.</li> <li>&gt; Smart Dual Light.</li> <li>&gt; 20 m illumination distance.</li> <li>&gt; Super Adapt.</li> <li>&gt; Built-in mic.</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional).</li> <li>&gt; CVI/CVBS/AHD/TVI switchable.</li> <li>&gt; IP67, 12 VDC.</li> </ul>	<p>۲,۷۵۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1200CLP-IL-A-S6</b>	<p>2MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p.</li> <li>&gt; 3D NR.</li> <li>&gt; Smart Dual Light.</li> <li>&gt; 20 m illumination distance.</li> <li>&gt; Super Adapt.</li> <li>&gt; Built-in mic.</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional).</li> <li>&gt; CVI/CVBS/AHD/TVI switchable.</li> <li>&gt; IP67, 12 VDC.</li> </ul>	<p>۲,۳۳۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1200TLMF-IL-A</b>	<p>2MP Smart Dual Light HDCVI Fixed-focal Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max. 30 fps@1080p.</li> <li>&gt; 3D NR.</li> <li>&gt; Smart Dual Light.</li> <li>&gt; 40 m illumination distance.</li> <li>&gt; Super Adapt.</li> <li>&gt; Built-in mic.</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional).</li> <li>&gt; CVI/CVBS/AHD/TVI switchable.</li> <li>&gt; IP67, 12 V DC.</li> </ul>	<p>۳,۰۰۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1500TP</b>	<p>5MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25fps@5MP (16:9 video output)</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional)</li> <li>&gt; Max. IR length 30 m, Smart IR</li> <li>&gt; IP67, DC12V</li> </ul>	<p>۳,۵۸۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1500DP</b>	<p>5MP Starlight HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25 fps@5MP (16:9 video output)</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; 3.6 mm fixed lens (6 mm, 8 mm optional)</li> <li>&gt; Max. IR length 80 m, Smart IR</li> <li>&gt; IP67, DC12V</li> </ul>	<p>۴,۲۶۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1509TP-A-LED</b>	<p>5MP Full-color HDCVI Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25 fps@5MP (16:9 video output)</li> <li>&gt; 120 dB true WDR, 3D NR</li> <li>&gt; 24/7 color imaging</li> <li>&gt; 20 m illumination distance</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Built-in mic (-A)</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional)</li> <li>&gt; IP67, 12 V DC</li> </ul>	<p>۵,۵۰۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>
	<b>DH-HAC-HFW1509TLMF-A-LED</b>	<p>5MP Full-color HDCVI Bullet Camera</p> <ul style="list-style-type: none"> <li>&gt; Max 25 fps@5MP (16:9 video output)</li> <li>&gt; 120 dB true WDR, 3D NR</li> <li>&gt; 24/7 color imaging</li> <li>&gt; 40 m illumination distance</li> <li>&gt; CVI/CVBS/AHD/TVI switchable</li> <li>&gt; Built-in mic (-A)</li> <li>&gt; 3.6 mm fixed lens (2.8 mm optional)</li> <li>&gt; IP67, 12 V DC</li> </ul>	<p>۵,۱۳۰,۰۰۰</p> <p>+ ۱۰% ارزش افزوده</p>

## HDCVI CAMERA

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-HFW1509TLMP-IL-A</b> 	<b>دو ال ای ال ای</b> 5MP Smart Dual Illuminators Bullet Camera > Max 25 fps@5MP (16:9 video output). > 120 dB true WDR, 3D NR. > Smart Dual Illuminators. > 40 m illumination distance. > Super Adapt. > Built-in MIC. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۵,۴۳۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-T1A21P</b> 	<b>دوم ۲ مگ</b> 2MP HDCVI IR Eyeball Camera > Max. 30 fps@1080p > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Max. IR length 20 m, Smart IR > 12 VDC	۱,۶۱۵,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-T1A21P-U</b> 	<b>دوم ۲ مگ</b> 2MP IR HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p > Smart IR Illumination > 25 m illumination distance. > Quick-to-install eyeball saves installation time. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable.	۱,۵۷۵,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-T2A21P</b> 	<b>دوم ۲ مگ</b> 2MP HDCVI IR Eyeball Camera > Max. 30 fps@1080p > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Max. IR length 20 m, Smart IR > IP67, 12 VDC	۱,۹۴۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-T2A21P-U</b> 	<b>دوم ۲ مگ</b> 2MP IR HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 30 m illumination distance. > 3.6 mm fixed lens (2.8 mm, 6 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۱,۸۹۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW1200TRQP-A</b> 	<b>دوم ۲ مگ</b> 2MP IR HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p. > Smart IR Illumination. > 30 m illumination distance. > Super Adapt. > Quick-to-install eyeball saves installation time. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP50, 12 VDC.	۲,۱۳۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW1209TLQP-A-LED</b> 	<b>دوم ۲ مگ فول کالر</b> 2MP Full-color HDCVI Quick-to-install Eyeball Camera > Full-color starlight > 20 m illumination distance > Max. 30fps@1080P > Built-in mic (-A) > Quick-to-install eyeball saves installation time > CVI/CVBS/AHD/TVI switchable > Fixed lens (2.8 mm; 3.6 mm optional) > IP67, 12V±30% DC	۲,۷۰۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW1200CLQP-IL-A</b> 	<b>دوم ۲ مگ دو ال ای ال ای</b> 2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p. > 3D NR. > Smart Dual Light. > 20 m illumination distance. > Super Adapt. > Built-in mic. > Quick-to-install eyeball saves installation time. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۲,۳۰۰,۰۰۰ + ۱۰٪ ارزش افزوده

## HDCVI CAMERA

تصویر	مدل	مشخصات	قیمت
	<b>DH-HAC-HDW1200TP-IL-A</b> 	<b>دوم ۲ مگ دوپال لایت:</b> 2MP Smart Dual Light HDCVI Fixed-focal Eyeball Camera > Max. 30 fps@1080p. > 3D NR. > Smart Dual Light. > 40 m illumination distance. > Super Adapt. > Built-in mic. > 3.6 mm fixed lens (2.8 mm optional). > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۳,۱۵۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW1500TRQP-A</b> 	<b>دوم ۵ مگ:</b> 5MP Starlight HDCVI Quick-to-install IR Eyeball Camera > Max 25 fps@5MP (16:9 video output) > Quick-to-install eyeball saves installation time > Built-in mic (-A) > CVI/CVBS/AHD/TVI switchable > 3.6 mm fixed lens (2.8 mm optional) > Max. IR length 25 m, Smart IR > IP50, DC12V	۳,۲۰۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW1500TMQP-A</b> 	<b>دوم ۵ مگ:</b> 5MP Starlight HDCVI Quick-to-install IR Eyeball Camera > Max 25 fps@5MP (16:9 video output) > CVI/CVBS/AHD/TVI switchable > Quick-to-install eyeball saves installation time > 3.6 mm fixed lens (2.8 mm, 6 mm optional) > Built-in mic (-A) > Max. IR length 60 m, Smart IR > IP67, DC12V	۳,۹۱۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW1509TP-A-LED</b> 	<b>دوم ۵ مگ فول کالر:</b> 5MP Full-Color Starlight HDCVI Eyeball Camera. > Max 25 fps@5MP (16:9 video output) > 120 dB true WDR, 3D NR > 40 m illumination distance > CVI/CVBS/AHD/TVI switchable > Built-in mic (-A) > 3.6 mm fixed lens (2.8 mm optional) > IP67, PoC (only CVI)/12 V±30% DC	۵,۳۳۰,۰۰۰ + ۱۰٪ ارزش افزوده
	<b>DH-HAC-HDW2802TP-Z-A</b> 	<b>دوم ۸ مگ موتور لایت:</b> 4K Starlight HDCVI Motorized Vari-focal IR Eyeball Camera > Max. 15 fps@4K. > Starlight, 120 dB true WDR, 3D NR. > Smart IR Illumination. > 60 m illumination distance. > Super Adapt. > Built-in MIC. > Auto focus, 2.7 mm-13.5 mm motorized lens. > CVI/CVBS/AHD/TVI switchable. > IP67, 12 VDC.	۵,۲۸۰,۰۰۰ + ۱۰٪ ارزش افزوده

## SPEED DOME HDCVI CAMERA

تصویر



مدل

DH-SD49131I-HC



مشخصات

1MP 31x Starlight IR PTZ HDCVI Camera  
> 1/2.8" STARVIS™ CMOS  
> Powerful 31x optical zoom  
> Starlight technology  
> 120dB true WDR, 3D DNR  
> Max. 25/30/50/60fps@720P  
> IR distance up to 100m  
> IP66

کلاس استاندارد ۱

















قیمت

۱۴,۵۲۰,۰۰۰

















+  
۱۰٪ ارزش افزوده



## HDCVI RECORDER

تصویر	مدل	مشخصات	قیمت
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR1B04-I (V2.0)</b></p> 	<p>4 CH Penta-brid 1080N/720P Cooper 1U 1HDD Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; 4-ch SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.</li> <li>&gt; 4-ch AI Coding supports saving on storage and bandwidth while maintaining the details of targets in videos.</li> <li>&gt; Smart H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Up to 5-ch IP camera inputs and each channel supports up to 2 MP. Max 20 Mbps incoming bandwidth.</li> </ul>	<p>۴,۱۲۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR1B08-I (V2.0)</b></p> 	<p>8 CH Penta-brid 1080N/720P Cooper 1U 1HDD Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; 4-ch SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.</li> <li>&gt; 8-ch AI Coding supports saving on storage and bandwidth while maintaining the details of targets in videos.</li> <li>&gt; Smart H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Up to 10-ch IP camera inputs and each channel supports up to 6 MP. Max 40 Mbps incoming bandwidth.</li> </ul>	<p>۵,۲۲۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR1B16-I (V2.0)</b></p> 	<p>16 Channels Penta-brid 1080N/720P Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI-Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 18 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps Incoming Bandwidth</li> <li>&gt; Long transmission distance over coax cable</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus</li> </ul>	<p>۹,۵۸۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5104HS-I3</b></p> 	<p>4 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI-Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 6 channels IP camera inputs, each channel up to 6MP; Max 32 Mbps incoming bandwidth</li> <li>&gt; Up to 2 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 4 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 1 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	<p>۷,۳۲۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5104HS-4KL-I3</b></p> 	<p>4 Channels Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports all-channels AI Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 8 channels IP camera inputs, each channel up to 8MP; Max 64 Mbps incoming bandwidth</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 4 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 1 channel video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	<p>۹,۶۰۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
	<p><b>DH-XVR7104E-4KL-X</b></p> 	<p>4 Channel Penta-brid 4K Elegant Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Supports 8/16 channels of IPC access, each channel up to 8MP input; Max 32/64Mbps Incoming Bandwidth</li> <li>&gt; IoT &amp; POS functionalities</li> <li>&gt; Smart Search and Intelligent Video System</li> </ul>	<p>۱۱,۸۸۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
	<p><b>DH-XVR7104E-4KL-B-X</b></p> 	<p>4 Channel Penta-brid 4K Elegant 1U Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Supports 8/16 channels of IPC access, each channel up to 8MP input; Max 32/64Mbps Incoming Bandwidth</li> <li>&gt; IoT &amp; POS functionalities</li> <li>&gt; Smart Search and Intelligent Video System</li> </ul>	<p>۱۴,۴۰۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR4108HS-I</b></p> 	<p>8CH Penta-brid 1080N/720P Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; 8-channel SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles.</li> <li>&gt; 8-channel AI Coding saves on storage and bandwidth while maintaining the details of targets in videos.</li> <li>&gt; Supports HDCVI, AHD, TVI, CVBS and IP video input.</li> <li>&gt; Supports up to 10-channel IP camera input and each channel can be up to 6 MP. The incoming bandwidth reaches 32 Mbps.</li> <li>&gt; Smart H.265+ and H.265 dual-stream video compression.</li> </ul>	<p>۷,۶۳۰,۰۰۰</p> <p>+</p> <p>۱۰٪ ارزش افزوده</p>

## HDCVI RECORDER

تصویر	مدل	مشخصات	قیمت
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5108HS-I3</b></p> 	<p>8 Channels Penta-brid 5M-N/1080P Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 12 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps incoming bandwidth</li> <li>&gt; Up to 2 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 1 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	<p>۱۰,۵۰۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5108H-I3</b></p> 	<p>8CH Penta-brid 5MP Value/1080P Mini 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports all-channel AI Coding.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Max 12 channels IP camera inputs, each channel up to 6MP; Max 64 Mbps incoming bandwidth.</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection.</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus.</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition.</li> <li>&gt; IoT &amp; POS functionalities.</li> </ul>	<p>۱۰,۸۰۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5108HS-4KL-I3</b></p> 	<p>8 Channels Penta-brid 4K-N/5MP Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports Full-channel AI Coding.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Max 16 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth.</li> <li>&gt; Up to 8 channels video stream (analog channel) Perimeter Protection.</li> <li>&gt; Up to 8 channels video stream (analog channel) SMD Plus.</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition.</li> <li>&gt; IoT &amp; POS functionalities.</li> </ul>	<p>۱۸,۳۲۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5116HS-I3</b></p> 	<p>16CH Penta-brid 5MP Value/1080P Compact 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 16 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	<p>۱۸,۵۰۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5116H-4KL-I3</b></p> 	<p>16CH Penta-brid 4K Value/5MP Mini 1U 1HDD WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports Full-channel AI-Coding.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth.</li> <li>&gt; Up to 8 channels video stream (analog channel) Perimeter Protection.</li> <li>&gt; Up to 16 channels video stream (analog channel) SMD Plus.</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition.</li> <li>&gt; IoT &amp; POS functionalities.</li> </ul>	<p>۲۶,۵۲۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5216AN-I3</b></p> 	<p>16CH Penta-brid 5MP Value/1080P 1U 2HDDs WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression</li> <li>&gt; Supports Full-channel AI Coding</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs</li> <li>&gt; Max 24 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection</li> <li>&gt; Up to 16 channels video stream (analog channel) SMD Plus</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition</li> <li>&gt; IoT &amp; POS functionalities</li> </ul>	<p>۲۳,۹۰۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5216AN-4KL-I3</b></p> 	<p>16 Channels Penta-brid 4K-N/5MP 1U 2HDDs WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports Full-channel AI-Coding.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Max 32 channels IP camera inputs, each channel up to 8MP; Max 128 Mbps incoming bandwidth.</li> <li>&gt; Up to 8 channels video stream (analog channel) Perimeter Protection.</li> <li>&gt; Up to 16 channels video stream (analog channel) SMD Plus.</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition.</li> <li>&gt; IoT &amp; POS functionalities.</li> </ul>	<p>۳۳,۱۲۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>
 <p><b>Wiz Sense</b></p>	<p><b>DH-XVR5232AN-I3</b></p> 	<p>32 Channels Penta-brid 5M-N/1080P 1U 2HDDs WizSense Digital Video Recorder</p> <ul style="list-style-type: none"> <li>&gt; H.265+/H.265 dual-stream video compression.</li> <li>&gt; Supports 16-channel AI-Coding.</li> <li>&gt; Supports HDCVI/AHD/TVI/CVBS/IP video inputs.</li> <li>&gt; Max 32 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth.</li> <li>&gt; Up to 4 channels video stream (analog channel) Perimeter Protection.</li> <li>&gt; Up to 16 channels video stream (analog channel) SMD Plus.</li> <li>&gt; Up to 2 channels video stream (analog channel) human face recognition.</li> <li>&gt; IoT &amp; POS functionalities.</li> </ul>	<p>۳۷,۰۰۰,۰۰۰</p> <p>+</p> <p>۱۰% ارزش افزوده</p>



**HDCVI RECORDER**

تصویر

مدل

مشخصات

قیمت



WizSense

DH-XVR5232AN-4KL-I3



۳۳ کانال دو هارد

- > 32CH Penta-brid 4K Value/5MP 1U 2HDDs WizSense Digital Video Recorder
- > 6-channel QuickPick 2.0 for analog channels which improves target retrieval efficiency.
- > 1-channel Privacy Protection for analog channels which supports masking and restoring human faces that are detected in real time.
- > 32-channel SMD Plus for analog channels or 64-channel SMD by camera which allows the device to trigger accurate alarms for humans and vehicles.
- > 12-channel perimeter protection for analog channels
- > 6-channel face recognition for analog channels which supports face comparison.
- > 32-channel AI Coding saves on storage and bandwidth
- > Supports HDCVI, AHD, TVI, CVBS and IP video input.
- > Supports up to 64-channel IP camera input and each channel can be up to 8 MP
- > Smart H.265+ and Smart H.265 dual-stream video compression.

۶۱,۹۲۰,۰۰۰

+


۱۰% ارزش افزوده



WWW.SANAT-AMN.COM

# الکترونیك صنعت امن

SANAT AMN ELECTRONIC



با خرید و ثبت کد با تگه مت...ترین  
صنعت امن از هدایای ویژه بهره مند شوید

